

PRODUCT DESCRIPTION

- Ability to create a line of light
- Easy assembly and disassembly
- Can be combined in straight and broken linear runs
- Simple design

FINISH	:			
Silver	anodized	d		
*Custo	m colors	available	upon	request



Fill empty fields

Product nr.	
Fixture type	
Company	
Job name	
Date	

TECHNICAL SPECIFICATION

Application

- main lighting installation, especially in existing drywall structures

Assembly

- using surface springs
- using mounting adhesive

Additional information


- wide flange not requiring a precise groove

AVAILABLE LENGTHS

Ref. nr.	surface finish	available lengths
B5552ANODA_1	Silver anodized	1000 mm
B5552ANODA_2	Silver anodized	2000 mm
B5552ANODA_3	Silver anodized	3000 mm



TECHNICAL DRAWING





RELATED PRODUCTS

COVERS



LIGER-22 black Cover Ref: 17044 **80**°



G-K semi-transparent Cover Ref: 00415



G-L clear Cover Ref: 17006



transparent Cover Ref: 17008





MUN-22 semitransparent Cover Ref: 17042 **60°**



LIGER-22 frosted Cover Ref: 17032V1 110°



HS-22 clear Cover HS-22 cres. Ref: 17022 **70°**




G-K frosted Cover Ref: 17007



G-L frosted Cover Ref: 00413









HS-22 frosted Cover Ref: 17011 100°





END CAPS



LARKO metalized End-cap Ref: 24102



ACCESSORIES



TEKNIK Latch Ref: 24003



KMA Spring Ref: 00838V1



DES Gland Ref: 42265



L135 LIPOD Coupler Ref: _



L135PW LIPOD Coupler Ref: _



L135PZ LIPOD Coupler Ref: _



L90 LIPOD Coupler Ref: _



L90PW LIPOD Coupler Ref: _



L90PZ LIPOD Coupler Ref: _



T135L LIPOD Coupler Ref: _



T135R LIPOD Coupler Ref: _



T90 LIPOD Coupler Ref: _



X135 LIPOD Coupler Ref: _



X90 LIPOD Coupler Ref: _



ZM-120 Connector Ref: 42728



ZM-135 Connector Ref: 42720



ZM-180 Connector Ref: 42717



ZM-90 Connector Ref: 42716



ZM-PION-135 Connector Ref: 42719



ZM-PION-90 Connector Ref: 42718

MARKETING MATERIALS



Presentation set 2 Ref: 90052